

X-SERIES

BAL 29, lightweight, reinforced, external insulating wall system

TECHNICAL DOCUMENT: SYSTEM INSTALLATION & CONSTRUCTION DETAILS BATTEN FIXED SYSTEM

MASTERWALL AUSTRALIA PTY LTD. 18-20 Cyber Loop, Dandenong South, Victoria, Australia EMAIL. sales@masterwall.com.au WEB. masterwall.com.au NATIONAL ENQUIRIES. (03) 9799 6565 FAX. (03) 8740 2180

#### **H GRADE POLYSTYRENE :**

To form cavity (applied over Masterwall Breather Wrap).

#### **DEFLECTION BATTEN:**

#### **POLYURETHANE FOAM SEALANT:**

100% flexibility ensures integrity and weatherproofing of joints.

#### **X -SERIES PANELS:**

M grade polystyrene, light weight, designed to move with the frame (Thicknesses: 50/75/100/125mm R 1.8/2.5/3.1/3.8).

#### FIXINGS:

Pre-assembled 50mm button and class 3 screw sets provide the right fix for every situation.

**ALLOY EXTERNAL CORNERS:** With integrated reinforcing mesh for strength.

## NO NEED FOR POST FORM REVEALS:

No need to double frame to achieve brick like reveals.

# X-SERIES SYSTEM -A WEATHER-TIGHT, ENERGY EFFICIENT, INSULATED WALL CLADDING SYSTEM.

# FRAMED CONSTRUCTION. BATTEN FIXED.

2





#### TIMBER OR METAL STUD FRAME.

#### **INTERNAL PLASTERBOARD LINING.**

#### **MASTERWALL BREATHER WRAP:**

A superior translucent breather type paper which provides a high performance vapor control.

#### **H GRADE POLYSTYRENE:**

Vertical battens, attached to stud frame over Flashing Tape.

#### **ALUMINIUM OR** TIMBER WINDOW.

#### **MASTERWALL SELF ADHERING** FLASHING TAPE:

A high performance flashing system uniquely formulated for Masterwall.

#### **POLYURETHANE FOAM SEALANT:**

All cavities around penetrations filled with polyurethane sealant.

#### **RENDER PROCESS:**

Minimum 5mm approved polymer modified render system including all-over fiberglass mesh (embedded into first layer of render) and mesh jointing tape to all panels and 45° to all corners of openings.



# SYSTEM SPECIFICATION

# **X-SERIES BATTEN FIXED SYSTEM**

#### **EXPLODED VIEW DIAGRAM**

Frame Construction - Batten Fixed

#### **INTRODUCTION**

Description	8
Application	8
Composition	8
Manufacture	8
Sizes & Thicknesses	9
Manufacturing Tolerances	9
Density	9
Water Vapour Resistance	9
Panel Fire Performance	9
Colour & Packaging	9
Warranty - 7 years	9
Limitation of Liability	9

2

#### **PROPERTIES**

Thermal Performance	10
Bushfire Attack Level	10
Impact Resistance	10
Weatherproofing	10
Substrates	10
Reinforcing Mesh	11
Trims	11
Flashing Tape	11
Joint Sealant	11
H Grade Polystyrene Battens	11
Screw Fixings	12
Render System	13

#### **INSTALLATION**

Breather Frame Wrap	13
Layout	13
Supporting Framework	13
Cutting	14
Health & Safety	14

# X-SERIES

# SYSTEM SPECIFICATION

#### **INSTALLATION - Continued**

Fixing To Framing	14
Batten Fixed system	14
Sealing - Joints	14
Sealing - Openings	15
Sealing - Other Penetrations	15
Control Joints and Articulation Relief Joints	15
Corners, Edges, Openings & Returns	16
Skyline System	16
Finishing	16
Storage, Handling, Protection	17
Repair	17
Waste Management	17
DISCLAIMER	17

# Masterwall X-Series complies with the BCA 2019 provisions and State or Territory variation(s).

Refer to **masterwall.com.au/downloads** to view the complete Certificate of Conformity.





# **CONSTRUCTION DETAILS**

Set out advice for 450 centred stud wall 50, 75, 100 & 125mm X-Series panel	18
Set out advice for 600 centred stud wall 75, 100 & 125mm X-Series panel	19
Set out advice for openings 50, 75, 100 & 125mm X-Series panel	20
X-Series panel Balcony solid floor junction	21
<b>Typical corner joints</b> 50, 75, 100 & 125mm <b>X-Series</b> panel	22
<b>Typical joints between panels</b> 50, 75, 100 & 125mm <b>X-Series</b> panel	23
<b>X-Series panel / brick veneer</b> External corner - junction - 1 External corner - junction - 2 Construction control joint - junction - 3 Internal corner - junction - 4	24 24 25 25
X-Series panel / cement fibre board Junction	26
X-Series panel / X-Series panel Construction control joint	26
<b>X-Series panel / X-Series panel</b> Control joint - mid floor break	27
<b>X-Series panel / brick veneer</b> Junction - first floor level step out Junction - first floor level flush joint	28 29
Overhanging first floor level	30
Rendered Parapet Wall with Skyline System Water Proofing Panel Penetration	31 31
Roof junction / parapet wall Roof junction pitched roof with soffit lining Lower roof junction - rear flashed	32 32 33
Universal Junction Universal Junction - external corner Universal Junction - internal corner Universal Junction - solid masonry	34 34 35 35

# X-SERIES

# **CONSTRUCTION DETAILS**

X-Series panel / timber window	
Typical head detail	36
Typical sill detail	36
Typical side jamb detail	36
X-Series panel / aluminium window	
Typical head detail	37
Typical sill detail	37
Typical side jamb detail	37
X-Series panel aluminium sliding door	
Typical head detail	38
Typical sill detail	38
Typical jamb detail	38
X-Series panel & ground slab junction	
Protruding	39
X-Series panel & brickwork junction	
Ground level	40
X-Series panel & concrete stump construction	
Protruding panel	41
X-Series panel & concrete stump construction	42
X-Series panel & ground slab junction	43
Within rebate	
X-Series panel / external wall	
External support with Skyline System water proofing	44
Typical fixing support for down pipe/external fittings	
50, 75, 100 & 125mm X-Series panel	45
Certificate of Conformity	46
System Checklist	47



# **INTRODUCTION**

#### Description

X-Series Batten Fixed system incorporates a cavity between the Breather Wrap and X-Series polystyrene panel to allow potential water engress to drain from behind the cladding, thus reducing the possibility of water damage to the frame.
 X-Series is an external lightweight insulating wall panel, mechanically fixed to the outer face of the building. The panels are completed by the application of an approved modified polymer render, trims, sealants, opening flashings and decorative and waterproof coatings.

Traditional sand/cement render is not suitable on the X-Series panels.

X-Series panel is a Medium (M) Grade expanded polystyrene (EPS) panel, that provides a rigid and thermally stable substrate for the render system applied to the face, ensuring high crack resistance and longevity in its performance to the decorative coatings that are applied to it.

EPS (and the combination of EPS and acrylic render) has a 60-year history of use in Europe and North America. **X-Series** complies with the Performance Solution as an external wall to NCC 2019, BCA Volumes 1 and 2.

#### Application

X-Series polystyrene panel is appropriate for use on timber and steel-framed residential and commercial buildings.

The lightweight panels are convenient to install and add minimum weight to the structure.

The product's thermal insulation properties contribute to the energy efficiency of the building. The ability to accept a range of approved acrylic render and decorative finishes allows a variety of aesthetic styles to be achieved, including traditional, heritage and modern.

The large panels are speedily installed, providing early enclosure and weatherproofing – assisting the achievement of early lock-up stage.

#### Composition

Panel: Medium (M) Grade expanded polystyrene (EPS) with included flame retardant. Grey in appearance.

#### Manufacture

The panels are manufactured locally from Australian and imported materials.

As water ingression into timber frame can cause significant movement and thus risk cracking the external render, total frame protection from weather ingression should be implemented prior to the installation of the **X-Series Batten Fixed** system. If for any reason, moisture is apparent in the timber frame after installation, this should be allowed to dry out thoroughly prior to the application of render.

It is recommended that the installation of internal linings to all external walls should be completed prior to the start of the render process of the **X-Series Batten Fixed** system. If installing internal linings after the completion of external render, use screw fixings only, as hammering nails will crack external render.



#### Sizes & Thicknesses

Standard panel size: 2400mm x 1200mm

50mm, 75mm, 100mm, 125mm Nominal thickness: 2.88m<sup>2</sup>

Area:

#### Mass:

Thickness	50mm	75mm	100mm	125mm
kg/m2	1	1.5	2	2.5
Total sheet kg	2.9	4.3	5.7	7.2

If other thicknesses are required, please consult Masterwall Australia.

#### **Manufacturing Tolerances**

Length:	2400mm ± 10mm
Width:	1200mm ± 5mm
Thickness:	± 1.0mm

#### Density

20kg/m<sup>3</sup> (polystyrene only)

#### Water Vapour Transmission

520 ug/m2s (AS2498.5)

#### Panel Fire Performance AS/NZS 1530.3

a. Ingnitability = 0b. Spread of flame = 0c. Heat evolved = 0d. Smoke developed = 4

#### **Colour & Packaging**

The panel is grey in colour and branded X-Series

#### Warranty - 7 years

Masterwall Australia Pty Ltd warrants that its products are free from defects in materials and workmanship for a period of 7 years from the date of purchase. For a full description of the Warranty refer to the Masterwall Australia website (http://www.masterwall.com.au).

#### **Limitation of Liability**

Except as provided for in the warranty above, Masterwall Australia Pty Ltd is not liable for any direct, indirect or consequential loss which any user suffers, incurs or is liable for in connection with the supply of Masterwall Australia Pty Ltd's products, including without limitation, direct, indirect or consequential loss arising from third party claims occasioned by defects in products.



# PROPERTIES

#### **Thermal Performance**

#### **X-Series Batten Fixed**

Panel Thickness	Material R-value	Total R-value (Winter)	Total R-value (Summer)	Total R-value (Winter)	Total R-value (Summer)
		Timber Framing		Steel Framing	
50mm	1.3	2.0	1.9	2.0	1.9
75mm	2.0	2.7	2.6	2.6	2.5
100mm	2.6	3.4	3.2	3.3	3.1
125mm	3.3	4.1	3.8	4.0	3.8

The complete system R rating including **X-Series** panel, cavity, breather wrap, stud frame cavity and 10mm plasterboard. Full system 'calculation of thermal performance' available upon request.

As significant variations occur in both thickness and/or number of layers applied (as well as the types of approved acrylic render used on external walls), an R Rating is not applied to the completed render finish.

As the **X-Series** batten fix system is designed for moisture management and drainage, the breather frame wrap cannot be removed from within the system, and its airtight installation is integral to the thermal performance of the complete system.

#### **Bushfire Attack Level (BAL A-29)**

The **X-Series Batten Fixed** system achieves BAL A-29 when installed in accordance with this manual. The BAL A-29 certification applies only to the complete X-Series materials and several specific render specifications. Please contact Masterwall Australia for the full BAL A-29 report to confirm the various render specifications that comply.

#### Impact Resistance

When correctly installed, **X-Series** panels offer similar resistance to impact and damage as other common non-metallic sheet materials. In addition to this feature, the panels will not shatter or fracture beyond the area of impact. Minor damage will be partly corrected by the self-recovery properties of the EPS.

#### Weatherproofing

The **X-Series Batten Fixed** system provides a weatherproof facade with drainage cavity to the building having been tested to comply with the Verification Method FV1 in Volume 1 of the NCC and V2.2.1 of Volume 2. Full reports available on request.

#### **Substrates**

Timber framing must comply with:

AS 1684 - National Timber Framing Code.

#### Metal framing must comply with:

AS 3623 - Domestic metal framing.

Structural bracing is to be integral to the wall frame system.



X-Series Batten Fixed system does not contribute to the structural integrity of the framing.

#### The control factors for installation of X-Series panels are:

Support Spacing:	450mm framing - 50mm 450mm & 600mm framing - 75, 100 & 125mm
Building Classes:	1 to 10
Wind Loadings:	N1 to N4 (classes 1 & 10). Up to 300 kPa (classes 2-9)

#### **H Grade Polystyrene Battens**

Cavity to be formed using H Grade Polystyrene to a depth of 25mm. Width will be determined by matching width of framing used as a minimum. Battens to be tacked in place using galvanised clouts/screws or double sided adhesive tape if desired. All battens should only be placed vertically to allow for free drainage of ingress water.

#### **Trims and Starter Channels**

Mesh reinforced alloy corner trims are preferred and are to be applied to all external corners/openings. Galvanised or stainless steel trims are not recommended.

Starter channels are to have drainage holes located beneath the drainage cavity and should not be larger than 3mm, to comply with Bushfire standard AS 3959, 5.4.3.

#### **Flashing Tape**

Flexible adhesive backed Aluminium **Masterwall** Flashing Tape typically used around windows, doors and underneath control joints as a high quality adhesive flashing system.

#### **Joint Sealant**

A flexible urethane foam sealant should be applied to all butt joints - see pages 23 & 24.

Starter channels with drainage holes are to be used on all exposed bottom edges of panels.



#### **Screw Fixings**

Class (3) screws, 10 gauge fitted with a 50mm diameter **Masterwall** plastic button. Class (3) screws are specified regardless of the geographic location.

#### Maximum Fixing Spacing (mm) for Masterwall Polystyrene Panel, M Grade, Minimum <u>50mm</u> Thickness

Design ULS Pressure<br/>(kPa) AS/NZS 1170.2)Stud Centres<br/>450mm1.004001.504002.003502.502803.00240

#### Maximum Fixing Spacing (mm) for Masterwall Polystyrene Panel, M Grade, Minimum <u>75mm</u> Thickness

Design ULS Pressure (kPa) (AS/NZS 1170.2)		res 600mm
1.00	400	400
1.50	400	400
2.00	400	350
2.50	390	280
3.00	330	240

NOTES:

1. The use of Masterwall Direct-To-Frame System has been validated for Serviceability Limit State Pressures up to +0.82kPa and -1.23kPa for Weatherproofing Performance.

#### Maximum Fixing Spacing (mm) for Masterwall Polystyrene Panel, M Grade, Minimum <u>50mm</u> Thickness

Stud Centres 450mm				
AS 4055 Wind Classification	Further than 1.2m the corners	Within 1.2m of the corners		
N1	400	400		
N2	400	400		
N3	400	367		
N4	400	248		

#### Maximum Fixing Spacing (mm) for Masterwall Polystyrene Panel, M Grade, Minimum <u>75mm</u> Thickness

	Stud Centres 450mm	1	Stud Centres 600mm	1
AS 4055 Wind Classification	Further than 1.2m the corners	Within 1.2m of the corners	Further than 1.2m the corners	Within 1.2m of the corners
N1	400	400	400	400
N2	400	400	400	400
N3	400	400	400	367
N4	400	330	400	248



The screws are selected to suit either timber framing or steel framing, and are available in the following lengths.

Length	Туре	Gauge	<b>Relevant Panel Thickness</b>		
75mm	Chip	10	50mm	Self Driller	
75mm	Chip	10	50mm	Needle Point	
100mm	Bugle	10	75mm	Self Driller	
100mm	Bugle	10	75mm	Needle Point	
130mm	Bugle	10	100mm	Needle Point	
150mm	Bugle	10	125mm	Needle Point	

• Timber Frame - Screw lengths should always be a minimum of 25mm longer than the thickness of the panel specified.

• Steel Frame - Screw lengths should always be a minimum of 15mm longer than the thickness of the panel specified.

#### **Render System**

Typically a minimum 5mm polymer modified render system is applied to to entire X-Series system. Fibreglass tape is to be embedded over the entire panel into the first 3mm layer of acrylic render, followed by a 2mm leveling coat of acrylic render. This is completed with a coloured acrylic texture system. For render system specifications consult **Masterwall Australia**.

## **INSTALLATION**

#### **Breather Frame Wrap**

Masterwall Australia recommends use of Masterwall Breather Frame Wrap or similar.

Note: Under no circumstances should a non-breathable paper be used behind **X-Series** panels. Breather Frame Wrap is to be fixed directly to the stud frame with cavity battens placed on top.

#### Layout

**X-Series** panels may be laid either vertically or horizontally (for either frame or masonry substrates) according to the best fit for the 2400mm x 1200mm sheet - horizontal, staggered joint layout is always the preferred option.

If the wall height is less than or equal to 2400mm, then practicality may dictate that the **X-Series** panel be laid vertically - but horizontal layout is the preferred option. If using this option all vertical joints must be either back blocked or fixed to a double stud to fully support edge of panel.

If the wall height is greater than 2400mm, then the panels should always be laid horizontally, in a brickwork or stretcher bond pattern, with each 1200mm vertical joint staggered up through the height of the wall.

A horizontal layout is the preferred option.

#### **Supporting Framework**

#### Edges of the X-Series panels may require support on studs, noggings or other intermediate blocking.

X-Series panels may be cantilevered or projected beyond supports by the same distance as a given panel's thickness.

Fixed-back blocking techniques are mandatory. Full-stud width (min 90mm) support is required. Back blocking timber must be MGP 10 or greater. Merchant grade is not permitted. Adhesive fixed back blocking is not permitted.

Supports to intermediate joints are required, as shown in this table.

Panel Thickness	50mm		75mm		100mm		<b>125</b> mm	
Joint Orientation	V	Н	V	Н	V	Н	V	Н
Studs 450 crs	~	×	~	×	~	×	~	x
Studs 600 crs			~	×	~	x	~	x

(V = Vertical) (H = Horizontal)

Supports/blocking are required to all edges around openings.



#### Cutting

(a) Masonry Blade: For 50mm, 75mm, 100mm &125mm X-Series panels, a diamond-tipped masonry blade is the most accurate, time-efficient and clean way to cut/trim panels (see MSDS).

(b) Hand Saw: A fine-tooth saw is also an efficient way of cutting the X-Series panel.

X-Series panels should be accurately cut to size to produce close butt joints between panels.

#### **Health & Safety**

Use of personal protective equipment (face masks and safety goggles) is recommended. The fine dust created by mechanical cutting is hazardous, and protection is recommended, including face masks and safety goggles. Mechanical cutting should be performed in well-ventilated spaces. Power tools can be fitted with effective dust-extraction systems. Refer to **X-Series** Material Safety Data Sheet (MSDS).

#### **Fixing To Framing**

- (a) Centres: X-Series panels of 75mm and thicker may be fixed to either 450mm or 600mm stud spacings, whereas 50mm panels may only be fixed to 450mm or less. Fixings are to be at a maximum 400mm centres vertically to all perimeter and intermediate supports. Fixings around perimeter of panels should be 25mm in from the edge of the panel (see Wind Load Fixing Chart page 12).
- (b) Fixings: Fixing screws and buttons should be the type and suitability as set out in this guide.
- (c) Appearance: When fastened correctly, the screw head and button should be slightly countersunk in a concave recess on the outer surface of the panel, and located so as to not crush the edge of the panel. The button should always retain its circular shape i.e. if the button begins to flare or fold it has been screwed too far towards the frame.

#### **Batten Fixed System**

The X-Series Batten Fixed system is designed to offer peace of mind when building higher risk designs that have the requirement of full water/moisture management incorporated into the building facade.

This may be a requirement of local building code or the personal choice of the client.

Full water/moisture management may be deemed necessary in building designs that have little protection to the elements, perhaps due to a parapet design without eaves or in high wind zones where wind-driven rain poses a higher risk of penetration behind a cladding system.

The X-Series Batten Fixed system has been design to give water unrestricted passage to drain from behind the cladding and let any excess moisture dry from the wall system, thus protecting long term damage to the timber frame.

#### **Sealing - Joints**

Prior to closing up of all joints between panels (and between panels and other building elements), a flexible urethane foam is required to the centre the gap between panels.

This forms a mechanical seal for weatherproofing, and converts the many individual panels into a single monolithic, insulated skin.

Foam urethane sealant is therefore required to:

- (a) All butt joints
- (b) All external corners and butt jointed internal corners



#### **Sealing – Openings**

system.

Prior to the application of the panel, **all** openings must be flashed from the reveal to the frame. **Masterwall Australia Pty Ltd** recommends and supplies adhesive aluminium **Masterwall** Flashing Tape for just this purpose, and is suitable for both aluminium and timber windows. This proven flashing method reduces the risk of water penetration.

Note: **X-Series** panels should not be externally sealed to window/door reveals at this point, post installation and prior to render application. Sealants should never be rendered over, as render systems, with limited movement capabilities, will restrict a sealant's ability to move according to manufacturer's specification. Sealants for openings should be applied after the render system has been applied - never before!

#### Sealing - Other Penetrations (including wiring, plumbing, joists, ducting)

Where possible all penetrations through the **X-Series Batten Fixed** system should be treated as per window detail using flashing tape. This is of high importance for floor and pergola joist penetrations, electrical meter boxes, ducting and the like.

It is then recommended that a 10mm minimum clearance gap be left between the **X-Series** panel and the penetration and caulked using **X-Series** flexible expanding foam urethane sealant prior to render application.

Note: Extra mesh tape is required around the penetration for added reinforcing during the render process. **Masterwall Australia Pty Ltd** recommends the use of liquid sealants to windows after the rendering process has been completed. Please note that render systems are not sealants i.e. an opening cannot be sealed by the application of a render

#### **Control Joints and Articulation Relief Joints**

Control joints for expansion should coincide with control joints within the building structure and substrate, and should be placed at all perceived stress points or weak areas of excessive movement within the building structure. Control joints should be placed at a maximum of walls that are over 20 meters long and at all mid-floor breaks. It is recommended that panel area below windows that is less than 300mm in height should be relieved with 'Articulation Relief Joints' of the render coating, at the corners of the opening (see Finishing: page 16). Contact Masterwall Australia for further information.

Articulation relief joints of the render coating are to be formed by cutting or forming a 'V' groove into the completed base coats, only to 70% depth of the render, not into the **X-Series** panel. The applied top coats shall replicate the 'V' groove to leave a visible line.

Where control joints are part of the building construction, the joint is to be expressed in the **X-Series** panels as an open joint, free of construction urethane, and finished as for all other open edges (including external corners applied to each edge).

Panel to panel control joints should be located on double studs, which are then to be sealed with flashing tape, which is then sealed to the rear of each panel with the use of a premium quality modified liquid sealant.

All control joints should feature either Ableflex (or similar) or backer rod as the primary seal, which should be set back in the control joint a minimum of 8mm where it must be caulked by others after the render process has been completed. – See Construction Details Manual. All Control Joints should be free of render products.



#### **Corners, Edges, Openings & Returns**

All panels to external corners must be butt joined (square) to give maximum strength to the corner.

Butt joints are required to all internal corners. Foam urethane sealant is required in this butt joint.

To form a total weatherproof face, all joints and abutments require sealing with foam urethane sealant.

Masterwall Alloy External Corners should be applied to all of the following areas:

(a) All external corners

(b) All openings

(c) All bottom edges of panel where a sterter channel is not required in the detail

These trims are to be in long lengths and set accurately to be plumb, level and straight.

#### **Skyline System**

The **Skyline System** is an architectural concealed waterproofing detail for use on parapet designs, featuring clean, uninterrupted lines. The **Skyline System** is concealed by the applied render finish and eliminates the need for unsightly pressed metal capping. It is also used as a waterproofing detail for fixing blocks within the **X-Series, Masterwall** and **K-Series Systems**.

The **Skyline System** membrane is a pressure sensitive self-adhesive butyl tape, 0.75mm in thickness, containing a nonwoven polyester fibre face, ready for the application of high polymer render. Able to withstand building movement, it has 35% elongation breaking limit and is serviceable from -10° to 100° Celsius.

Important Note: As the **Skyline System** is a total waterproofing detail, no fixings should ever penetrate the horizontal surface of the completed parapet. All fixings of balustrades and the like should only be mounted on the vertical wall surface only.

#### Finishing

When all **X-Series** panels have been installed (complete with sealants and edge trims) a 5mm minimum thickness of an approved polymer modified render system is required. The reinforcing fibreglass mesh is embedded into the first skim coat of render.

The approved acrylic render is applied using conventional techniques. The render also flush finishes all mechanical fixings.

Traditional sand/cement renders are not suitable for application to **X-Series** panels.

When the skim coats are dry, the selected approved finishing coat can be applied. This coat can be smooth or textured, and coloured as preferred.

A minimum acceptable result can be achieved by the following sequence:

- 3mm skim coat (including Fibreglass Reinforcing Mesh)
- 2mm skim coat
- 1.5mm top coat and/or paint finish
- When applying **X-Series System** approved render systems, ensure to follow the render system manufacturer's specifications.

Articulation relief joints of the render coating are to be formed by cutting or forming a 'V' groove into the completed base coats, only to 70% depth of the render, not into the **X-Series** panel. The applied top coats shall replicate the 'V' groove to leave a visible line.

# X-SERIES

#### Storage, Handling, Protection

**X-Series** panels delivered to site should be stored flat and evenly supported. They should be covered or otherwise protected from damage or soiling.

If stored outside panel stacks are to be covered, a material/canvas cover should be utilized. Under no circumstances should a black plastic cover be used.

During installation, the **X-Series** panels should be handled with care to prevent edge damage or fracture.

Particular care is required during windy conditions, as unsecured panels can be severely damaged.

Continuous exposure may result in deterioration and minor fretting of exposed edges of the panel. This is to be removed prior to proceeding with finishing or sealing. As with all sheet materials, protection from impact damage is required.

The application of the approved render should, wherever possible, follow the installation of internal services, fittings and linings – when the risk of damage is minimised.

Timely application of the render will complete the wall system - and protect the panels from damage.

#### **Repair**

Panels that are fractured or severely damaged (before or after fixing) should be rejected or cut down to size for use.

Minor penetrations, edge fractures or crushed areas may be site-patched with the reinforcing mesh and an approved acrylic patching render.


#### Waste Management


Being lightweight, the panel material is readily dispersed by the wind. To prevent a nuisance, all off-cuts and residue from cutting should be stored in tied plastic bags for removal to a place of legal disposal. Attention to detail - in particular to spacing of backblocking - will contribute to a reduction in the amount of waste and off-cut materials.

#### **Disclaimer**

Whilst every effort has been made to ensure the information in this manual is correct at the time of printing, **Masterwall Australia Pty Ltd** reserves the right to change the specifications of all products referred to in this manual at any time. All changes made to this manual are uploaded on to our website www.Masterwall.com.au.









COPYRIGHT 2020. No part of this document is to be copied or reproduced without the express written permission of Masterwall Australia Pty Ltd. 19

# X-SERIES









## X-SERIES PANEL - BATTEN FIXED SYSTEM: BALCONY SOLID FLOOR JUNCTION

50, 75, 100 & 125mm X-SERIES BATTEN FIXED SYSTEM







INTERNAL CORNER - PLAN VIEW

**EXTERNAL CORNER - PLAN VIEW** 

These details are indicative for the purpose of illustrating the typical installation of X.Series panels. Panels are to be installed strictly in accordance with the specifications detailed in the forward section of this manual. Substrate construction to be in accordance with the Building Regulations & Statutory Requirements.

**TYPICAL CORNER JOINTS:** 





Back blocking required fixed to frame. Vertical panel joints between studs.


# **VERTICAL JOINTS - PLAN VIEW**

These details are indicative for the purpose of illustrating the typical installation of X-Series panels. Panels are to be installed strictly in accordance with the specifications detailed in the forward section of this manual. Substrate construction to be in accordance with the Building Regulations & Statutory Requirements.


# X-SERIES

23






# X-SERIES PANEL / BRICK VENEER EXTERNAL CORNER - BATTEN FIXED SYSTEM: JUNCTION - 1




# X-SERIES PANEL / BRICK VENEER EXTERNAL CORNER - BATTEN FIXED SYSTEM: JUNCTION - 2






# X-SERIES PANEL / BRICK VENEER CONTROL JOINT - BATTEN FIXED SYSTEM: JUNCTION - 3




# x-series panel / brick veneer internal corner - batten fixed system: $JUNCTION\ -\ 4$






# $x\mbox{-}series\mbox{-}panel\/\mbox{-}fibre\ cement\ board\ -\ batten\ fixed\ system: JUNCTION$




# X-SERIES PANEL / X-SERIES PANEL - BATTEN FIXED SYSTEM: CONSTRUCTION CONTROL JOINT






# X-SERIES PANEL / X-SERIES PANEL - BATTEN FIXED SYSTEM: CONSTRUCTION CONTROL JOINT - MID FLOOR BREAK






# X-SERIES PANEL / BRICK VENEER - BATTEN FIXED SYSTEM: JUNCTION - FIRST FLOOR LEVEL STEP OUT






# FIRST FLOOR LEVEL FLUSH JOINT






# X-SERIES PANEL - BATTEN FIXED SYSTEM: OVERHANGING FIRST FLOOR LEVEL

# X-SERIES




## X-SERIES PANEL - BATTEN FIXED SYSTEM: RENDERED PARAPET WALL WITH SKYLINE SYSTEM WATER PROOFING




## X-SERIES PANEL - BATTEN FIXED SYSTEM: PANEL PENETRATION






# X-SERIES PANEL / ROOF JUNCTION: PARAPET WALL




# x-series panel / roof junction - batten fixed system: PITCHED ROOF WITH SOFFIT LINING






# X-SERIES PANEL - BATTEN FIXED SYSTEM: LOWER ROOF JUNCTION - REAR FLASHED






# X-SERIES PANEL - BATTEN FIXED SYSTEM: UNIVERSAL JUNCTION




## X-SERIES PANEL / EXTERNAL CORNER - BATTEN FIXED SYSTEM: UNIVERSAL JUNCTION






# X-SERIES PANEL / INTERNAL CORNER - BATTEN FIXED SYSTEM: UNIVERSAL JUNCTION




## X-SERIES PANEL / SOLID MASONRY - BATTEN FIXED SYSTEM: UNIVERSAL JUNCTION






# X-SERIES PANEL / TIMBER WINDOW - BATTEN FIXED SYSTEM: TYPICAL HEAD DETAIL




## X-SERIES PANEL / TIMBER WINDOW - BATTEN FIXED SYSTEM: TYPICAL SILL DETAIL




# X-SERIES PANEL / TIMBER WINDOW - BATTEN FIXED SYSTEM: TYPICAL SIDE JAMB DETAIL






### X-SERIES PANEL / ALUMINIUM WINDOW - BATTEN FIXED SYSTEM: TYPICAL HEAD DETAIL




### X-SERIES PANEL / ALUMINIUM WINDOW - BATTEN FIXED SYSTEM: TYPICAL SILL DETAIL




### X-SERIES PANEL / ALUMINIUM WINDOW - BATTEN FIXED SYSTEM: Note: Window system to be self draining. TYPICAL SIDE JAMB DETAIL







#### X-SERIES PANEL / ALUMINIUM SLIDING DOOR - TYPICAL HEAD DETAIL - BATTEN FIXED SYSTEM




#### X-SERIES PANEL / ALUMINIUM SLIDING DOOR - TYPICAL SILL DETAIL - BATTEN FIXED SYSTEM




X-SERIES PANEL / ALUMINIUM SLIDING DOOR - TYPICAL JAMB DETAIL - BATTEN FIXED SYSTEM









### x-series panel & brickwork junction - batten fixed system: $\ensuremath{\mathsf{GROUND}}$ LEVEL








### X-SERIES PANEL & CONCRETE STUMP CONSTRUCTION - BATTEN FIXED SYSTEM




### X-SERIES PANEL & GROUND SLAB JUNCTION - BATTEN FIXED SYSTEM WITHIN REBATE





### X-SERIES PANEL / EXTERNAL WALL - BATTEN FIXED SYSTEM: EXTERNAL SUPPORT WITH SKYLINE SYSTEM WATER PROOFING





This page intentionally left blank.



### **SYSTEM CHECKLIST**:

PRODUCT	DESCRIPTION	SIZES	COVERAGE 🗸
X-Series Panel	Polystyrene Panel	50mm, 75mm, 100mm & 125mm	1.2m x 2.4m (2.88m²)
Masterwall Fixings	Screw Button Sets 100 p/box	75mm, 100mm, 130mm	30 per panel
Masterwall Breather Frame Wrap	Vapour Permeable Sarking	1350mm or 2700mm	82m²
Masterwall Flashing Tape	Self Adhesive Aluminium Tape (flashing windows & doors etc)	75mm width	25m roll
Premium Quality Modified Liquid Sealant	Premium Quality Modified Liquid Sealant (gasket sealant for flashing tape)	600ml sausage	2 per roll of flashing tape
Expandable Elastic Foam	Expandable Urethane Flexible Foam (joint sealant)	700ml can	65m² of X-Series Panel
PVC Starter Channel with drainage holes	U Channel for bottom of panel (on ground floor)	75mm, 100mm & 125mm	3.0m lengths
Ableflex	Foam strip for rebated slab detail & expansion joints	75mm width	25m roll
H Grade Polystyrene	Vertical battens attached to timber/metal studs to form cavity	To suit	At each vertical stud and at all openings

## **NOTES**:


# **TECHNICAL ADVICE / DESIGN**

Masterwall Australia supports all of its products and systems with a comprehensive Technical Advisory Service for specifiers, stockists and contractors.

This includes a software-powered service designed to give fast, accurate technical advice. Simply phone the Masterwall Australia Technical Service Department with your project specifications. Calculations can be carried out to provide a Condensation (Dew Point) Risk Analysis, and/or a Total Wall (RT) System Thermal Value so that the correct insulation thicknesses can be determined for any given project.

# CONTACT **MASTERWALL AUSTRALIA**

For national Technical and Sales contact Masterwall Australia:

National phone: (03) 9799 6565 Email: sales@masterwall.com.au Web: masterwall.com.au



Masterwall manufactures and distributes high performance exterior insulation, render and coating systems.



H20 DRAINAGE WRAP

MASTERFLOOR