

Product catalogue for Masterwall systems.

TECHNICAL DOCUMENT:

PRODUCT CATALOGUE

MASTERWALL AUSTRALIA PTY LTD. 18-20 Cyber Loop, Dandenong South, Victoria, Australia EMAIL. sales@masterwall.com.au WEB. masterwall.com.au NATIONAL ENQUIRIES. (03) 9799 6565 FAX. (03) 8740 2180



HIGH PERFORMANCE EXTERIOR INSULATION SOLUTIONS

- Masterwall
- K-Series
- Skyline
- UMBRA
- MasterFloor

Masterwall systems have been designed and engineered to ensure lasting quality and durability. Applied as standalone systems or in combination, Masterwall allows you to achieve modern and linear building facades that seamlessly come together to create a weather-tight building envelope, boasting exceptional energy efficiency. Their lightweight provides opportunities to design new and innovative buildings, whilst at the same time protecting you from the harsh Australian heat and glare. Available in a range of architectural finishes the results are stunning and their performance will provide the owners energy savings and added thermal comfort that contributes to achieving excellence in energy efficiency.



SYSTEMS CHECKLIST:

MASTERWALL	DESCRIPTION	SIZES	COVERAGE 1.2m x 2.4m (2.88m²)	
Masterwall Panel	Precoated Polystyrene Panel	50mm, 75mm, 100mm, 125mm & 150mm		
Fixings Sets	Fixing sets / loose 100 p/box	75mm, 100mm, 130mm	Approx. 30 screws per pane	
Masterwall Breather Wrap	Vapour Permeable Sarking	1370mm x 60m or 2740mm x 30m	82m²	
Flashing Tape	Self Adhesive Aluminium Tape	75mm width	20m roll	
Masterwall Sealant	Gasket sealant for flashing tape	600ml sausage	2 per roll of flashing tape	
Masterwall Joint Foam	Expandable Foam (Joint Sealant)	700ml can	65m² of Masterwall Panel	
PVC Starter Channel	U Channel for bottom of panel	50mm, 75mm, & 100mm	3m lengths	
Ableflex Foam	Foam strip for rebated slab	75mm width	50m roll	
(-SERIES	DESCRIPTION	SIZES	COVERAGE	
K-Series Panel	Phenolic Panel	50mm, 80mm	1.2m x 2.4m (2.88m²)	
ixing Sets	Loose screws 100 p/box	75mm, 100mm, 130mm	Approx. 30 screws per pan	
C-Series Buttons	Buttons 500 p/bag	48mm	Approx. 30 buttons per par	
Masterwall Breather Wrap	Vapour Permeable Sarking	1370mm x 60m or 2740mm x 30m	82m²	
-lashing Tape	Self Adhesive Aluminium Tape	75mm width	20m roll	
Masterwall Sealant	Gasket sealant for flashing tape	600ml sausage	2 per roll of flashing tape	
Masterwall Joint Foam	Expandable Foam (Joint Sealant)	700ml can	65m² of Masterwall Panel	
PVC Starter Channel	U Channel for bottom of panel	50mm, 75mm, & 100mm	3m lengths	
Ableflex Foam	Foam strip for rebated slab	75mm width	50m roll	
SKYLINE	DESCRIPTION	SIZES	COVERAGE	
Skyline Membrane	Single sided Butyl - non woven fabric	150mm, 300mm, 400mm, 600mm, 900mm, 1200mm	20m roll	
Skyline Wedges	Polystyrene Wedge	Stock sizes (see page 9)		
Masterwall Joint Foam	Expandable Foam (Joint Sealant)	700ml can	65m²	
Masterwall Detail Tape	Self Adhesive Buytyl Tape	150mm width	15m roll	
Toolbox Sausage	Gasket sealant for Skyline Membrane	500ml sausage	65m ²	
JMBRA	DESCRIPTION	SIZES	COVERAGE	
JMBRA Brackets	316 Stainless Steel bracket	540mm	Every 1200mm	
JMBRA Hood	Polystyrene wedge	Stock sizes (see page 9)		
JMBRA Blade	Polystyrene Hood	Stock sizes (see page 10)		
JMBRA Adhesive Glue	Elastic Expansion Foam	750ml can		
MASTERFLOOR	DESCRIPTION	SIZES	COVERAGE	
MasterFloor Panel	Polystyrene sub-floor insulation panel	50mm, 75mm, 90mm	5.6m², 4.1m², 3.07m²	

SYSTEM Our comprehensive range of products have been designed, engineered and rigoursly tested together to ensure lasting quality and durability. Specify Masterwall products to achieve outstanding performance and finish.

PRODUCT

CODE

MASTERWALL PANEL

K-SERIES PANEL

SCREWS & BUTTONS

MASTERWALL PRE-COATED PANEL

MESHED & PRIMED

2400mm x 1200mm x 50mm

1020001

2400mm x 1200mm x 75mm 2400mm x 1200mm x 100mm 1020002

2400mm x 1200mm x 100mm 2400mm x 1200mm x 125mm 1020003 1020004

2400mm x 1200mm x 150mm

1020005

K-SERIES PANEL

K-SLIILS I AILL

1030001

2400mm x 1200mm x 50mm 2400mm x 1200mm x 80mm

1030002

CYCLONIC PANEL

2400mm x 1200mm x 50mm

1030003

2400mm x 1200mm x 80mm

1030004

FIXINGS - SCREW & BUTTON SETS

75mm - (100 / Box)

100mm - (100 / Box)

130mm - (100 / Box)

1040001 1040002 1040003

LOOSE SCREWS

Class 3 Screws - 75mm (100 / Bag)

1040004

Class 3 Screws - 100mm (100 / Bag)

1040005

Class 3 Screws - 130mm (100 / Bag)

1040006

Class 3 Screws - 150mm (100 / Bag)

1040007

Class 3 Screws - 165mm (100 / Bag) Class 3 Screws - 185mm (100 / Bag) 1040008 1040009



100mm - (100 / Bag) 130mm - (100 / Bag)

To be used on 50mm, 75mm, 100mm, 125mm & 150mm MASTERWALL

pre-coated panels



MASTERWALL BUTTONS

40mm Buttons - (500 / Bag)


1040013

1040010

1040011

1040012

To be used on 50mm, 75mm, 100mm, 125mm & 150mm MASTERWALL pre-coated panels




K-SERIES BUTTONS

48mm Buttons - (500 / Bag)

1040014

To be used on 50mm & 80mm K-Series panels



MASTERWALL JOINT FOAM

Joint Foam

1050001

Elastic expansion foam used to ensure a total weather tight seal between panel joints



UMBRA ADHESIVE FOAM/GLUE

UMBRA ADHESIVE

750ml pressurised can

1050002

Elastic expansion foam used to adhere UMBRA panels to substrate



FOAM GUN (EXPANSION FOAM)

Hi quality Foam Dispensing Gun

1050003

Foam Gun for use with Expansion Foam can



SEALANTS

FOAM GUN CLEANER500ml Foam Gun Cleaner

1050004

Specially formulated cleaner to ensure Foam Gun dispenses correctly



ALANTS

SEALANTS

MASTERWALL SUPERSEAL

Superseal HPR 50FC - 600ml

1050005

To be used as a sealant on Masterwall Flashing Tape




ALANTS

TRADE BARREL GUN

Trade Barrel Gun - Superseal

1050006

To be used in conjunction with Superseal HPR 50FC



SEALANTS

MASTERWALL EDGE SEALANT

Edge Sealant - 4 litre

1050007

To be used as a waterproof membrane to the exposed bottom edges of panels (ground floor)



ALANTS

CONSTRUCTION ADHESIVE

Construction Adhesive - 300ml

1050008

General purpose, hi quality adhesive



FLASHINGS

MASTERWALL FLASHING TAPE

ALUMINIUM/BUTYL BACKED SELF ADHESIVE FLASHING TAPE 75mm x 20m

1060001

To seal around window & door openings




ABLEFLEX FOAM

CONTROL JOINT FOAM 75mm x 50m Roll

1060003

Used to create an expansion gap between Masterwall and other cladding or wall systems such as brickwork , Hebel etc



MESH REINFORCEMENT

FIBREGLASS REINFORCED MESH TAPE 1m x 50m Roll

1060005

To be used in conjunction with K-Series panels as an all-over mesh reinforcement embedded into base



MESH JOINT TAPE

FIBREGLASS REINFORCED MESH TAPE 150mm x 50m Roll

1060006

To be used for jointing detail of rendering process



MASTERWALL BREATHER WRAP

1370mm x 60m (82.2m²) 2740mm x 30m (82.2m²)

1060007 1060008


Weathertight breatherable frame wrap for fram protection



MASTERWALL BATTENS

35mm x 50mm x 1200mm 20mm x 50mm x 1200mm 1060009 1060010

To be used for creating a cavity between the cladding and frame to allow moisture to escape



SKYLINE MEMBRANE

1200mm x 20m	1070001
900mm x 20m	1070002
600mm x 20m	1070003
400mm x 20m	1070004
300mm x 20m	1070005
150mm x 20m	1070006



MASTERWALL DETAIL TAPE

150mm x 15m

1070007

To be used in conjunction with Skyline Membrane



TOOL BOX SAUSAGE

Tool Box Sausage - 500ml

1070008

To be used in conjunction with Skyline Membrane



SKYLINE WEDGES

220mm x 50mm-20mm x 2.4m 350mm x 70mm-20mm x 2.4m 1070009 1070010 1070011

500mm x 90mm-20mm x 2.4m 800mm x 140mm-20mm x 2.4m

1070012


Used to allow water run-off on top of parapet or balcony heads



UMBRA BRACKET

Stainless Steel UMBRA Bracket - 540mm 1070013


Used in conjuction with UMBRA blades, hoods and fins



CEMENT SHEET STRIP

2.4m x 50mm x 6mm

1070016



UMBRA HOOD


SKYLINE MEMBRANE & WEDGES


300mm x 160mm-120mm @ 2.4m 400mm x 160mm-120mm @ 2.4m 500mm x 160mm-120mm @ 2.4m

1070020 1070021

600mm x 160mm-120mm @ 2.4m 800mm x 160mm-120mm @ 2.4m

1070022 1070023





TRIMS, ANCHORS & RENDERS

UMBRA BLADE


300mm x 120mm x 2.4m	1070024
400mm x 120mm x 2.4m	1070025
500mm x 120mm x 2.4m	1070026
600mm x 120mm x 2.4m	1070027
800mm x 120mm x 2.4m	1070028



PVC STARTER CHANNEL

1080001
1080002
1080003


To be used on bottom of panel at ground level



ALUMINIUM STARTER CHANNEL - 25°

50mm x 2.5m - 25deg	1080004
75mm x 2.5m - 25deg	1080005
100mm x 2.5m - 25deg	1080006


To be used on bottom of panel at ground level



ALUMINIUM STARTER CHANNEL - 90°

50mm x 2.5m - 90deg	1080007
75mm x 2.5m - 90deg	1080008
100mm x 2.5m - 90deg	1080009

To be used on bottom of panel at ground level



ALLOY MESH ANGLES


Mesh Reinforced Alloy Angle - 2.7m 1080010

To be used on external corners

ALLOY NON-MESH ANGLES

Non-Mesh Alloy Angle - 2.7m 1080011

To be used on external corners



AZTEC ANCHORS

50 per Box

1080012

Used as an anchor when fixing hardware direct to Masterwall and K-Series panels



TRIMS, ANCHORS & RENDERS

CLOTH MASKING TAPE

36mm x 25m

1080013

General purpose masking tape

REINFORCED FOIL TAPE

100mm x 50m

1080014

To be used with K-Series on bottom of panel at ground level. Also used in conjunction with Masterwall Breather Wrap to seal any gaps or holes



TRIMS, ANCHORS & RENDERS

TRIMS, ANCHORS & RENDERS

MASTERWALL GP ACRYLIC RENDER

20kg Bag - 50 / Pallet

1080020



MASONRY FASTENERS

HUSKY FASTENERS

100mm

1080017

120mm 140mm

panels

1080018 1080019

Masonry anchors for Masterwall



MASTERFLOOR

MASTERFLOOR INSULATION PANELS


50mm x 1220mm x 420mm 11/Bag (5.64m²) 75mm x 1220mm x 420mm 8/Bag (4.1m²)

1090001 1090002

90mm x 1220mm x 420mm 6/Bag (3.07m²)

1090003

Rigid underfloor insulation for subfloor construction



TECHNICAL ADVICE / DESIGN

Masterwall Australia supports all of its products and systems with a comprehensive Technical Advisory Service for specifiers, stockists and contractors.

This includes a software-powered service designed to give fast, accurate technical advice. Simply phone the Masterwall Australia Technical Service Department with your project specifications. Calculations can be carried out to provide a Condensation (Dew Point) Risk Analysis, and/or a Total Wall (R $_{\text{T}}$) System Thermal Value so that the correct insulation thicknesses can be determined for any given project.

CONTACT MASTERWALL AUSTRALIA

For national Technical and Sales contact Masterwall Australia:

National phone: (03) 9799 6565 Email: sales@masterwall.com.au Web: masterwall.com.au

YOUR LOCAL ACCREDITED INSTALLER / DISTRIBUTOR:				



Masterwall manufactures and distributes high performance exterior insulation, render and coating systems.

M-TEX	M-SERIES	M	SKYLINE	M	H ₂ O DRAINAGE WRAP
	X-SERIES	M	UMBRA	M	MASTERFLOOR
	K-SERIES	M	MATRIXX		